

# BOARD QUESTION PAPER: MARCH 2022

## Mathematics - II

**Time: 2 Hours**

**Max. Marks: 40**

**Note:**

- i. All questions are compulsory.
- ii. Use of calculator is not allowed.
- iii. The numbers to the right of the questions indicate full marks.
- iv. In case of MCQs [Q. No. 1(A)] only the first attempt will be evaluated and will be given credit.
- v. For every MCQ, the correct alternative (A), (B), (C) or (D) with sub-question number is to be written as an answer.
- vi. Draw proper figures for answers wherever necessary.
- vii. The marks of construction should be clear. Do not erase them.
- viii. Diagram is essential for writing the proof of the theorem.


**Q.1. (A) For each of the following sub-questions four alternative answers are given. Choose the correct alternative and write its alphabet: [4]**

- i. If  $\triangle ABC \sim \triangle DEF$  and  $\angle A = 48^\circ$ , then  $\angle D =$  \_\_\_\_\_.  
 (A)  $48^\circ$       (B)  $83^\circ$       (C)  $49^\circ$       (D)  $132^\circ$
- ii. AP is a tangent at A drawn to the circle with center O from an external point P.  $OP = 12$  cm and  $\angle OPA = 30^\circ$ , then the radius of a circle is \_\_\_\_\_.  
 (A) 12 cm      (B)  $6\sqrt{3}$  cm      (C) 6 cm      (D)  $12\sqrt{3}$  cm
- iii. Seg AB is parallel to X-axis and co-ordinates of the point A are (1, 3), then the co-ordinates of the point B can be \_\_\_\_\_.  
 (A) (-3, 1)      (B) (5, 1)      (C) (3, 0)      (D) (-5, 3)
- iv. The value of  $2\tan 45^\circ - 2\sin 30^\circ$  is \_\_\_\_\_.  
 (A) 2      (B) 1      (C)  $\frac{1}{2}$       (D)  $\frac{3}{4}$

**(B) Solve the following sub-questions: [4]**

- i. In  $\triangle ABC$ ,  $\angle ABC = 90^\circ$ ,  $\angle BAC = \angle BCA = 45^\circ$ .

If  $AC = 9\sqrt{2}$ , then find the value of AB.



- ii. Chord AB and chord CD of a circle with centre O are congruent. If  $m(\text{arc AB}) = 120^\circ$ , then find the  $m(\text{arc CD})$ .
- iii. Find the Y-co-ordinate of the centroid of a triangle whose vertices are (4, -3), (7, 5) and (-2, 1).
- iv. If  $\sin\theta = \cos\theta$ , then what will be the measure of angle  $\theta$  ?

**Q.2. (A) Complete the following activities and rewrite it (any two): [4]**

- i. In the above figure, seg AC and seg BD intersect each other in point P. If  $\frac{AP}{CP} = \frac{BP}{DP}$ , then complete the


following activity to prove  $\triangle ABP \sim \triangle CDP$ .

**Activity:** In  $\triangle APB$  and  $\triangle CDP$


$$\frac{AP}{CP} = \frac{BP}{DP} \dots\dots \square$$

$\therefore \angle APB \equiv \square$  ..... vertically opposite angles

$\therefore \square \sim \triangle CDP$ .....  $\square$  test of similarity.



- ii. In the above figure,  $\Upsilon ABCD$  is a rectangle. If  $AB = 5$ ,  $AC = 13$ , then complete the following activity to find  $BC$ .



**Activity:**

$\Delta ABC$  is  triangle.

$\therefore$  By Pythagoras theorem  
 $AB^2 + BC^2 = AC^2$

$\therefore 25 + BC^2 = \square \quad \therefore BC^2 = \square$

$\therefore BC = \square$

- iii. Complete the following activity to prove:  $\cot\theta + \tan\theta = \operatorname{cosec}\theta \times \sec\theta$

**Activity:**

L.H.S. =  $\cot\theta + \tan\theta$

$$\begin{aligned} &= \frac{\cos\theta}{\sin\theta} + \frac{\square}{\cos\theta} = \frac{\square + \sin^2\theta}{\sin\theta \times \cos\theta} \\ &= \frac{1}{\sin\theta \times \cos\theta} \dots\dots\square \quad \square = \frac{1}{\sin\theta} \times \frac{1}{\cos\theta} \\ &= \square \times \sec\theta \end{aligned}$$


$\therefore$  L.H.S. = R.H.S.

**(B) Solve the following sub-questions (any four):**

[8]

- i. If  $\Delta ABC \sim \Delta PQR$ ,  $AB : PQ = 4 : 5$  and  $A(\Delta PQR) = 125 \text{ cm}^2$ , then find  $A(\Delta ABC)$ .

ii.




In the above figure,  $m(\text{arc } DXE) = 105^\circ$ ,  $m(\text{arc } AYC) = 47^\circ$ , then find the measure of  $\angle DBE$ .

- iii. Draw a circle of radius 3.2 cm and centre 'O'. Take any point P on it. Draw tangent to the circle through point P using the centre of the circle.
- iv. If  $\sin\theta = \frac{11}{61}$ , then find the value of  $\cos\theta$  using trigonometric identity.
- v. In  $\Delta ABC$ ,  $AB = 9 \text{ cm}$ ,  $BC = 40 \text{ cm}$ ,  $AC = 41 \text{ cm}$ . State whether  $\Delta ABC$  is a right-angled triangle or not? Write reason.

**Q.3. (A) Complete the following activities and rewrite it (any one):**

[3]

i.



In the above figure, chord  $PQ$  and chord  $RS$  intersect each other at point  $T$ . If  $\angle STQ = 58^\circ$  and  $\angle PSR = 24^\circ$ , then complete the following activity to verify:  $\angle STQ = \frac{1}{2}[m(\text{arc } PR) + m(\text{arc } SQ)]$

**Activity:**

In  $\Delta PTS$ ,

$\angle SPQ = \angle STQ - \square$

Exterior angle theorem

$\therefore \angle SPQ = 34^\circ$


$\therefore m(\text{arc } QS) = 2 \times \square^\circ = 68^\circ \dots\dots\dots\square \quad \square$

Similarly  $m(\text{arc } PR) = 2\angle PSR = \square^\circ$

$\therefore \frac{1}{2}[m(\text{arc } QS) + m(\text{arc } PR)] = \frac{1}{2} \times \square^\circ = 58^\circ \dots\dots\dots(I)$

but  $\angle STQ = 58^\circ$  .....(II) given  
 $\therefore \frac{1}{2} [m(\text{arc PR}) + m(\text{arc QS})] = \boxed{\dots}$  ..... from (I) and (II)

- ii. Complete the following activity to find the co-ordinates of point P which divides seg AB in the ratio 3 : 1 where A(4, -3) and B(8, 5).



$\therefore$  By section formula,

$$x = \frac{mx_2 + nx_1}{m+n}, \quad y = \frac{\boxed{\dots}}{m+n}$$


$$\therefore x = \frac{3 \times 8 + 1 \times 4}{3+1}, \quad y = \frac{3 \times 5 + 1 \times (-3)}{3+1}$$

$$\therefore = \frac{\boxed{\dots} + 4}{4} = \frac{\boxed{\dots} - 3}{4}$$

$$\therefore x = \boxed{\dots} \quad \therefore y = \boxed{\dots}$$

**(B) Solve the following sub-questions (any two):**

- i. In  $\triangle ABC$ , seg  $XY \parallel$  side  $AC$ . If  $2AX = 3BX$  and  $XY = 9$ , then find the value of  $AC$ .




- ii. Prove that, "Opposite angles of cyclic quadrilateral are supplementary".  
 iii.  $\triangle ABC \sim \triangle PQR$ . In  $\triangle ABC$ ,  $AB = 5.4$  cm,  $BC = 4.2$  cm,  $AC = 6.0$  cm,  $AB : PQ = 3 : 2$ , then construct  $\triangle ABC$  and  $\triangle PQR$   
 iv. Show that:  $\frac{\tan A}{(1 + \tan^2 A)^2} + \frac{\cot A}{(1 + \cot^2 A)^2} = \sin A \times \cos A$ .


[6]

**Q.4. Solve the following sub-questions (any two):**

- i.  $YABCD$  is a parallelogram. Point P is the midpoint of side CD. Seg BP intersects diagonal AC at point X, then prove that:  
 $3AX = 2AC$



ii.ii.



In the above figure, seg AB and seg AD are tangent segments drawn to a circle with centre C from exterior point A, then prove that:  $\angle A = \frac{1}{2} [m(\text{arc BYD}) - m(\text{arc BXD})]$

- iii. Find the co-ordinates of centroid of a triangle if points D(-7, 6), E(8, 5) and F(2,-2) are the mid-points of the sides of that triangle.

[8]

**Q.5. Solve the following sub-questions (any one):**

- i. If a and b are natural numbers and  $a > b$ . If  $(a^2 + b^2)$ ,  $(a^2 - b^2)$  and  $2ab$  are the sides of the triangle, then prove that the triangle is right angled.  
 Find out two Pythagorean triplets by taking suitable values of a and b.  
 ii. Construct two concentric circles with centre O with radii 3 cm and 5 cm. Construct tangent to a smaller circle from any point A on the larger circle. Measure and write the length of tangent segment. Calculate the length of tangent segment using Pythagoras theorem.

[3]